

Material Safety Data Sheet Date of printing: 19.05.2017 Date: 17.5.2017

Version: 00

Product name: Belinka Oil - Exterier Page 1 od 5

## 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier:

Product name: Belinka Oil - Exterier

Code: 481343

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Oil for the protection and maintenance of exterior wooden surfaces

1.3 Details of the supplier of the safety data sheet:

belinka belles, d.o.o.

Ljubljana, Zasavska cesta 95 1231 Ljubljana - Črnuče

Slovenia

Phone: +386 1 5886 299
Fax: +386 1 5886 303
e-mail: belles@belinka.si
http://www.belinka.com/

Info MSDS: marta.podobnik@belinka.si

1.4 Emergency telephone number: National Chemical Emergency Centre.

### 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture: Not danger.

2.2. Label elements:

Pictogram:

Phrases: EUH208 Contains citronellal and 2-butanone oxime. May produce an allergic

reaction.

EUH066 Repeated exposure may cause skin dryness or cracking.

P102 Keep out of reach of children.

## 2.3. Other hazards:

Oil soaked cloths and other porous working accessories (foam rollers, sponges, paper) must soaked in water or burnt immediately after use, otherwise spontaneous combustion may occur.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substance: -

#### 3.2. Mixtures:

## **Hazardous Components:**

Chemichal name	delež	CAS no.	Danger Category	(H)
	% ut.	EINECS no.		
		REACH no.		
Hydrocarbons, C11 - C13	10-	-	Asp.Tox.1	H304
isoalkanes, < 2% of the	19,99	920-901-0		
aromatic		-		
		01-2119456810-40		
Hydrocarbons, C11 - C12	10-	-	Asp.Tox.1	H304
isoalkanes, < 2% of the	19,99	918-167-1	Flam. Liq. 3	H226
aromatic		-		
		01-2119472146-39		
Citronellal	0,5-0,99	106-23-0	Skin Sens. 1	H317
		203-376-6	Eye Irrit.2	H319
		-	Skin Irrit. 2	H315



Material Safety Data Sheet	Date of printing: 19.05.2017	Date: 17.5.2017 Version: 00
Product name:	Belinka Oil - Exterier	Page 2 od 5

2-butanone oxime	0,5-0,99	96-29-7 202-496-6 616-014-00-0	Carc. 2 Skin Sens. 1 Eye Dam. 1	H351 H317 H318
		01-2119539477-28	Acute Tox. 4	H312

#### 4. FIRST AID MEASURES

4.1. Description of first aid measures:

Inhalation: Remove patient to the fresh air.

Skin Contact: Remove contaminated clothing. Wash off with plenty of soap and water. Do not

use organic solvent.

Eye Contact: Rinse eyes thoroughly with plenty of water, holding the eyelids apart for at least

10 minutes.

Ingestion: Do not induce vomiting. Do not eat.

4.2. Most important symptoms and effects, both acute and delayed: See section 11.

4.3. Indication of any immediate medical attention and special treatment needed: No data available.

## 5. FIRE FIGHTING MEASURES

**5.1. Extinguishing media:** Foam, water spray, dry chemical powder, carbon dioxide. Do not discharge

extinguishing waters into the aquatic environment. Do not use water in a jet.

5.2. Special hazards arising from the substance or mixture: The vapour is heavier than air, spreads along the

ground and distant ignition is possible. Hazard combustion gases: CO, CO<sub>2</sub>,

NOx, toxic and noxius fumes.

**5.3. Advice for firefighters:** Water may be used to cool closed containers to prevent pressure build-up. Wear

full protective clothing and self-containing breathing apparatus.

# **6. ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures:** Avoid contact with skin and eyes. Keep unnecessary people away. Remove all possible sources of ignition in the surrounding area.

**6.2. Environmental precautions:** Prevent contamination of soil, drains and surfaces water. Observe all relevant local and international regulations.

**6.3. Methods and material for containment and cleaning up:** Absorb spillages in sand, earth or any suitable absorbent material. Transfer to a labelled, sealable container for safe disposal.

**6.4. Reference to other sections:** See sections 8 and 13 for additional information.

### 7. HANDLING AND STORAGE:

**7.1. Precautions for safe handling:** Avoid breathing of or contact with skin, eyes and clothing. Use only in well ventilated areas. Do not eat, drink or smoke at the workplace. Wash thoroughly

after handling.

Remove ignition sources. Do not smoke. Provide good ventilation. Avoid opening

drums in unventilated areas to avoid concentrated vapours.

**7.2. Conditions for safe storage, including any incompatibilities:** Keep away from food and drink. Store in the original container tightly closed in a cool and well ventilated place. Keep away from heat and source of ignition.

7.3. Specific end use(s): Wood stain.



Material Safety Data Sheet Date of printing: 19.05.2017 Date: 17.5.2017

Version: 00

Product name: Belinka Oil - Exterier Page 3 od 5

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**8.1. Control parameters**: Do not contain such a substances.

8.2. Exposure controls:

Higiene measures: Remove and wash contaminated clothing before re-use. Avoid prolonged or

repeated contact with skin. Wash hands with soap and water. When using, do not

eat, drink or smoke.

Respiratory protection: Adequate ventilation or respiratory protection.

Hand protection: Protective gloves (PVC, neopren).

Gloves should be discarded and replaced if there is any indication of degradation

or chemical breakthrough.

Skin protection: Protective work clothing.

Eye protection: If there is a possibility of splashing use safety glasses with side shields.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Appearance:	Liquid, yellow to red
Odour:	Characteristic
Odour threshold:	No data
pH:	No data
Melting point/freezing point:	No data
Initial boiling point and boiling range:	>316 oC
Flash point:	No data
Evaporation rate:	No data
Flammability (solid, gas):	No data
Vapour pressure:	No data
Vapour density:	No data
Relative density:	0,87 - 0,91 ISO 2811
Solubility(ies):	Not miscible
Partition coefficient: n-octanol/water:	No data
Auto-ignition temperature:	No data
Decomposition temperature:	No data
Viscosity:	58 s ISO 2431 3mm 25°C
Kinematic viscosity:	> 21 mm²/s pri 40 °C
Explosive properties:	Does not
Oxidising properties:	Does not

## 9.2. Other information: No data.

## 10. STABILITY AND REACTIVITY

10.1. Reactivity: No data available.

**10.2. Chemical stability:** Stable under normal conditions of use.

**10.3. Possibility of hazardous reactions:** No data available.



Material Safety Data Sheet Date of printing: 19.05.2017 Date: 17.5.2017

Version: 00

Product name: Belinka Oil - Exterier Page 4 od 5

**10.4. Conditions to avoid:** High temperatures.

10.5. Incompatible materials: Strong oxidising agents.

**10.6. Hazardous decomposition products:** Not - under normal conditions of storage and use. In case of fire may result in a hazardous gases and vapours.

Oil soaked cloths and other porous working accessories (foam rollers, sponges, paper) must soaked in water or burnt immediately after use, otherwise spontaneous combustion may occur.

#### 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects:

Acute oral toxicity:

Data for ingredients:

LC50, 2-butanone oxime (inhal, rat): 20 mg/l/4h

LD50, 2-butanone oxime (oral, rat): 930 mg/kg

LD50, 2-butanone oxime (dermal, rabbit): >2000 mg/kg

LD50, Citronellal (oral, rat): 2420 mg/kg

LD50, Hydrocarbons (oral, rat): > 5000 mg/kg

LD50, Hydrocarbons (dermal, rabbit): > 5000 mg/kg

Skin corrosion/irritation: May produce an allergic reaction.

Serious eye damage/irritation: No data available. Respiratory or skin sensitisation: No data available.

Germ cell mutagenicity: There is no information about such reactions.

Carcinogenicity: There is no information about such reactions.

Reproductive toxicity: There is no information about such reactions.

STOT-single exposure: There is no information about such reactions.

STOT-repeated exposure: Repeated exposure may cause skin dryness or cracking.

### 12. ECOLOGICAL INFORMATION

**12.1. Toxicity:** LC50, Hydrocarbons (96 h, fish): > 1000 mg/l

LC50, Hydrocarbons (daphnia magna): > 1000 mg/l

12.2. Persistence and degradability: No data available.

12.3. Bioaccumulative potential: No data available.

**12.4. Mobility in soil:** No data available.

12.5. Results of PBT and vPvB assessment: No data available.

12.6. Other adverse effects: No data available.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

All disposal practices must be in accordance with local, regional, national and international regulations. Dispose of packaging or containers in accordance with local, regional, national and international regulations.



Material Safety Data Sheet	Date of printing: 19.05.2017	Date: 17.5.2017
		Version: 00
Product name:	Belinka Oil - Exterier	Page 5 od 5

#### 14. TRANSPORT INFORMATION

	ADR/RID	IMDG	IATA
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-
14.6. Special precautions for users	-	-	-
14.7. Transport in bulk according to Annex II of Marpol 73/78 and the IBC code	-	-	-

## 15. REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (ES) 1907/2006 (REACH)

Regulation (ES) 1272/2008 (CLP)

Regulation (ES)) 790/2009 (I Atp. CLP)

Regulation (ES) 453/2010

15.2. Chemical safety assessment: No chemical safety assessment has been carried out.

### 16. OTHER INFORMATION

This Information is based on our present state of knowledge. It should not therefore be construed as guaranteeing specific properties of the products described or their suitability for a particular application.

## Full text of the H-phrases given in Section 3:

H351 Suspected of causing cancer.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H312 Harmful in contact with skin.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H304 May be fatal if swallowed and enters airways.

H226 Flammable liquid and vapour.

Sources of key data: Safety data sheet of ingredients available through the manufacturer.